

2002

**Virginia Department of Transportation
Daily Traffic Volume Estimates**

Jurisdiction Report

08

Bath County

Prepared By

**Virginia Department of Transportation
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Mobility Management Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management’s Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

Peak Hour: The estimate of the traffic volume for the 30th highest traffic volume occurring in a one-year period divided by the AADT for the same one-year period.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During 12 Months of Continuous Traffic Data
- B Factor based on 30th Highest Hour Observed During Less than 12 Months of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of 30th Highest Hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the Peak Hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Bath Maintenance Area

Route	Length	AADT	QA	Year
Bath County				
From West Virginia State Line	4.59	460	G	2002
To W 08-600				
From W 08-600	9.94	560	G	2002
To 08-687 West of Warm Springs				
From 08-687 West of Warm Springs	2.97	1400	G	2002
To US 220 Warm Springs				
From US 220 Warm Springs	0.19	2800	G	2002
To US 220 N OF WARM SPRINGS				
From US 220 N OF WARM SPRINGS	4.38	1600	G	2002
To 08-630				
From 08-630	8.67	1600	G	2002
To SR 42 Millboro Springs				
From SR 42 Millboro Springs	5.73	1800	G	2002
To Rockbridge County Line				
From Rockbridge County Line	6.03	800	G	2002
To 08-632				
From 08-632	5.54	860	G	2002
To SR 39 Millboro Springs				
From SR 39 Millboro Springs	5.73	1800	G	2002
To SR 39				
From SR 39	5.73	1800	G	2002
To Rockbridge County Line				
From Rockbridge County Line	7.49	2700	G	2002
To 08-658 Hot Springs				
From 08-658 Hot Springs	5.43	4200	G	2002
To SR 39 Warm Springs				
From SR 39 Warm Springs	0.19	2800	G	2002
To SR 39 North of Warm Springs				
From SR 39 North of Warm Springs	4.17	960	G	2002
To 08-614				
From 08-614	5.56	710	G	2002
To 08-623				
From 08-623	4.11	620	G	2002
To Highland County Line				
From Highland County Line	7.50	90	R	1997
To SR 39 SOUTH				
From SR 39 SOUTH	14.48	160	G	2002
To SR 39 NORTH				
From SR 39 NORTH	3.29	60	R	03/23/2000
To SR 39				
From SR 39	3.29	60	R	03/23/2000
To 3.29 MN SR 39				
From 3.29 MN SR 39	2.31	30	R	03/23/2000
To Dead End				
From Dead End	0.51	20	R	03/06/2000
To SR 42 SOUTH				
From SR 42 SOUTH	0.51	20	R	03/06/2000
To SR 42 NORTH				
From SR 42 NORTH	0.51	20	R	03/06/2000
To 08-600				
From 08-600	3.57	40	R	03/27/2000
To 3.57 MN 08-600				
From 3.57 MN 08-600	3.91	50	R	03/27/2000
To 7.48 MN 08-600				

Route	Length	AADT	QA	Year
Bath County				
From 7.48 MN 08-600	0.07	60	R	03/27/2000
To 08-607				
From 08-607	0.40	130	R	1997
To 08-687				
From 08-687	1.60	40	R	03/23/2000
To Alleghany County Line				
From Alleghany County Line	1.60	40	R	03/23/2000
To 1.60 MN OF CL				
From 1.60 MN OF CL	0.80	50	R	1997
To 08-687				
From 08-687	1.40	440	R	03/23/2000
To US 220				
From US 220	0.30	20	R	03/27/2000
To 08-687				
From 08-687	0.30	20	R	03/27/2000
To 0.30 MN 08-687				
From 0.30 MN 08-687	3.70	20	R	03/27/2000
To 08-603				
From 08-603	0.40	100	R	1997
To US 220				
From US 220	2.68	180	R	03/06/2000
To SR 39				
From SR 39	2.68	180	R	03/06/2000
To 08-624				
From 08-624	3.70	60	R	05/04/2000
To 3.70 MN 08-624				
From 3.70 MN 08-624	3.90	70	R	1997
To 08-670				
From 08-670	0.80	120	R	03/06/2000
To 08-614				
From 08-614	2.60	150	G	2002
To Highland County Line				
From Highland County Line	0.11	30	R	1997
To 08-650				
From 08-650	1.11	530	R	1997
To US 220				
From US 220	0.08	360	R	03/23/2000
To 08-613				
From 08-613	0.85	230	R	1997
To Dead End				
From Dead End	0.55	280	R	03/23/2000
To 08-612				
From 08-612	0.55	280	R	03/23/2000
To US 220				
From US 220	9.30	210	G	2002
To 08-609				
From 08-609	0.35	130	R	03/06/2000
To 08-672				
From 08-672	3.75	90	R	03/06/2000
To 08-657				
From 08-657	0.80	80	R	1997
To 08-678 NORTH				

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Bath Maintenance Area

Route	Length	AADT	QA	Year
Bath County				
From: 08-678 SOUTH				
(614) To: Highland County Line	0.53	80	R	1997
From: 08-687				
(615) To: 08-644 WEST	1.42	1300	G	2002
From: 08-617				
(615) To: US 220	0.67	1400	G	2002
From: 08-615				
(615) To: 08-650	0.79	2200	G	2002
From: 08-615				
(616) To: Dead End	0.20	250	R	1997
From: 08-687				
(617) To: 3.00 ME 08-687	0.35	240	R	03/23/2000
From: 08-687				
(618) To: 08-646	3.00	45	R	03/16/2000
From: 08-645				
(618) To: US 220	0.60	70	R	03/16/2000
From: 08-645				
(618) To: US 220	0.70	90	R	03/16/2000
From: 08-645				
(619) To: US 220 SOUTH	0.20	1500	G	2002
From: 08-645				
(619) To: US 220 NORTH	0.35	300	R	03/13/2000
From: 08-645				
(619) To: Dead End				
From: SR 39 WEST				
(620) To: 08-675	1.35	20	R	1997
From: 08-675				
(620) To: SR 39 EAST	0.20	150	R	03/16/2000
From: SR 39 McGuffin Rd				
(621) To: US 220 McGuffin Rd	2.93	210	R	1997
From: Dead End				
(622) To: US 220	0.90	40	R	03/13/2000
From: Dead End				
(623) To: 1.70 MN Dead End	1.70	80	R	03/13/2000
From: 1.70 MN Dead End				
(623) To: US 220	0.27	80	R	1997
From: 08-609				
(624) To: 08-625	5.50	40	R	1997
From: 08-629				
(625) To: 08-678	7.60	150	R	03/09/2000
From: 08-629				
(626) To: Dead End	0.40	30	R	03/06/2000
From: 08-629				
(627) To: 08-678	5.10	45	R	03/09/2000

Route	Length	AADT	QA	Year
Bath County				
From: Dead End				
(628) To: 0.50 MN Dead End	0.50	20	R	03/06/2000
From: 0.50 MN Dead End				
(628) To: 08-614	0.30	40	R	1997
From: Alleghany County Line				
(629) To: Douthat St Pk Bndy	2.94	480	G	2002
From: Douthat St Pk Bndy				
(629) To: 08-683	11.19	180	G	2002
From: 08-683				
(629) To: SR 39 EAST	1.29	340	G	2002
From: SR 39 WEST				
(629) To: 08-625	0.57	360	G	2002
From: 08-625				
(629) To: 08-678 SOUTH	5.73	80	G	2002
From: 08-678 NORTH				
(629) To: 08-640	5.58	140	G	2002
From: 08-640				
(629) To: Augusta County Line	5.03	180	G	2002
From: SR 39 WEST				
(630) To: SR 39 EAST	1.35	50	R	1997
From: Dead End				
(631) To: 08-652	0.30	20	R	03/06/2000
From: 08-652				
(631) To: SR 42	0.40	70	R	03/06/2000
From: Dead End				
(632) To: SR 42	0.55	20	R	03/06/2000
From: Rockbridge County Line				
(633) To: 2.50 MN OF CL	2.50	30	R	03/06/2000
From: 2.50 MN OF CL				
(633) To: 08-665	1.82	200	R	1997
From: 08-665				
(633) To: 08-635	0.79	620	R	1997
From: 08-635				
(633) To: SR 42 Gap Terminus	2.20	230	R	03/23/2000
From: SR 39 Gap Terminus				
(633) To: 4.30 MN SR 39	4.30	190	R	03/06/2000
From: 4.30 MN SR 39				
(633) To: 08-629	3.70	70	R	03/06/2000
From: Dead End				
(634) To: 08-633	0.65	40	R	03/02/2000
From: 08-633				
(635) To: SR 39	1.68	1300	G	2002
From: SR 39				
(635) To: 3.84 MN SR 39	3.84	110	R	1997

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Bath Maintenance Area

Route	Length	AADT	QA	Year
Bath County				
From: 3.84 MN SR 39				
(635) To: 08-640	1.26	70	R	03/02/2000
From: 08-633				
(636) To: 08-635 SOUTH	0.20	60	R	03/02/2000
From: 08-635 NORTH				
(636) To: 08-637	0.40	50	R	03/06/2000
From: 08-665				
(637) To: 08-691	0.45	100	R	1997
From: 08-691				
(637) To: 08-636	0.45	50	R	03/02/2000
From: 08-636				
(637) To: Dead End	0.35	30	R	03/02/2000
From: 08-633				
(638) To: 08-635	0.70	100	R	1997
From: 08-635				
(639) To: Dead End	0.60	20	R	03/02/2000
From: SR 39 SR 42				
(640) To: 08-654	0.91	240	R	1997
From: 08-654				
(640) To: 08-635	2.50	160	R	03/06/2000
From: 08-635				
(640) To: 3.40 MN 08-635	3.40	60	R	1997
From: 3.40 MN 08-635				
(640) To: 08-629	2.60	60	R	05/04/2000
From: 08-629				
(641) To: Dead End	1.40	30	R	03/02/2000
From: Dead End				
(642) To: US 220	0.25	180	R	03/23/2000
From: Dead End				
(643) To: SR 39	0.45	20	R	03/02/2000
From: 08-615				
(644) To: 08-674	0.10	10	R	03/23/2000
From: Dead End				
(645) To: 08-619	0.05	50	R	03/13/2000
From: 08-619				
(645) To: 08-692	0.20	1200	G	2002
From: SR 220				
(646) To: 08-618	0.30	140	R	1997
From: Dead End				
(647) To: 08-681	0.27	70	R	03/16/2000
From: 08-681				
(647) To: US 220	0.30	190	R	03/16/2000

Route	Length	AADT	QA	Year
Bath County				
From: Dead End				
(648) To: US 220	0.44	270	R	1997
From: 08-648				
(649) To: 08-656	0.40	110	R	03/23/2000
From: 08-656				
(649) To: US 220	0.70	50	R	1997
From: Dead End				
(650) To: 08-616	0.10	40	R	03/23/2000
From: 08-616				
(650) To: 08-610	0.05	140	R	1997
From: 08-610				
(650) To: Dead End	0.21	70	R	03/23/2000
From: Dead End				
(651) To: US 220	0.15	60	R	1997
From: Dead End				
(652) To: 08-631	0.72	80	R	1997
From: US 220				
(653) To: Dead End	0.12	60	R	03/16/2000
From: 08-640				
(654) To: Dead End	0.74	30	R	03/06/2000
From: Dead End				
(655) To: 0.31 ME Dead End	0.31	20	R	03/06/2000
From: 0.31 ME Dead End				
(655) To: SR 42	0.34	10	R	1997
From: Dead End				
(656) To: 08-649	0.05	40	R	1997
From: 08-649				
(656) To: US 220	0.30	100	R	03/16/2000
From: Dead End				
(657) To: 08-614	0.50	20	R	03/06/2000
From: Dead End				
(658) To: US 220	0.18	1200	R	1997
From: Dead End				
(659) To: 08-658	0.08	270	R	03/23/2000
From: US 220				
(660) To: Dead End	0.24	130	R	03/23/2000
From: Dead End				
(661) To: US 220	0.13	160	R	03/23/2000
From: SR 39				
(662) To: 08-675	0.12	90	R	1997
From: 08-675				
(662) To: Dead End	0.10	20	R	03/13/2000

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Bath Maintenance Area

Route	Length	AADT	QA	Year
Bath County				
From: 08-678				
(663) To: Dead End	0.85	10	R	03/06/2000
From: SR 42				
(664) To: Dead End	0.33	30	R	03/06/2000
From: 08-633				
(665) To: 08-637	0.05	9	R	03/02/2000
(665) From: 08-637	0.25	30	R	1997
To: Dead End				
From: Dead End				
(666) To: 0.10 ME Dead End	0.10	20	R	03/02/2000
(666) From: 0.10 ME Dead End	0.20	530	R	03/02/2000
To: 08-668				
(666) From: 08-668	0.22	160	R	1997
To: 08-633				
From: 08-666				
(667) To: 08-633	0.16	60	R	1997
From: 08-666				
(668) To: 08-633	0.10	430	R	1997
From: Dead End				
(669) To: US 220	0.15	80	R	1997
From: Dead End				
(670) To: 08-609	0.16	50	R	03/23/2000
From: 08-633				
(671) To: Dead End	0.09	20	R	03/02/2000
From: Dead End				
(672) To: 08-614	0.36	30	R	03/09/2000
From: SR 39				
(673) To: 08-662	0.23	30	R	03/16/2000
From: 08-644				
(674) To: Dead End	0.09	80	R	03/23/2000
From: 08-662				
(675) To: 08-620	0.39	60	R	03/13/2000
From: SR 39 WEST				
(676) To: SR 39 EAST	0.35	30	R	1997
From: Dead End				
(677) To: US 220	0.09	30	R	1997
From: SR 39				
(678) To: 08-663	1.48	130	R	1997
(678) From: 08-663	4.78	200	R	03/09/2000
To: 08-629 WEST				

Route	Length	AADT	QA	Year
Bath County				
From: 08-629 WEST				
(678) To: 0.94 M FRM 08-629	0.94	250	G	2002
(678) From: 0.94 M FRM 08-629	4.20	140	R	1997
To: 08-625				
(678) From: 08-625	2.26	220	R	03/09/2000
To: 08-627				
(678) From: 08-627	3.65	150	R	1997
To: 08-614 NORTH				
(678) From: 08-614 NORTH	0.45	120	R	03/06/2000
To: Highland County Line				
From: 08-687 WEST				
(679) To: 08-701	0.09	20	R	03/16/2000
(679) From: 08-701	0.03	80	R	03/16/2000
To: 08-687 MID				
(679) From: 08-687 MID	0.03	30	R	1997
To: 08-687 EAST				
From: US 220				
(680) To: Dead End	0.73	130	R	03/13/2000
From: 08-647				
(681) To: Dead End	0.21	60	R	1997
From: Dead End				
(682) To: US 220	0.30	930	R	1997
From: 08-629				
(683) To: SR 39	1.80	20	R	03/06/2000
From: Dead End				
(684) To: US 220	0.30	170	R	03/16/2000
From: Dead End				
(685) To: US 220	0.25	220	R	03/23/2000
(685) From: US 220	0.08	80	R	1997
To: 08-613				
From: Dead End				
(686) To: SR 39	0.08	10	R	03/23/2000
From: Alleghany County Line				
(687) To: 08-615	5.68	1000	G	2002
(687) From: 08-615	2.04	390	G	2002
To: 08-618				
(687) From: 08-618	3.71	350	G	2002
To: SR 39				
From: SR 39 WEST				
(688) To: SR 39 EAST	0.39	20	R	03/06/2000
From: 08-633				
(689) To: SR 39 SR 42	0.15	70	R	03/02/2000

Virginia Department of Transportation
 Mobility Management Division
 2002
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Bath Maintenance Area

Route	Length	AADT	QA	Year
Bath County				
From: SR 39				
(690) To: 08-678	0.11	40	R	03/06/2000
From: Dead End				
(691) To: 0.10 MN Dead End	0.10	20	R	03/02/2000
From: 0.15				
(691) To: 08-637	0.15	40	R	03/02/2000
From: SR 39 WEST				
(692) To: 08-645	0.09	890	G	2002
From: 0.26				
(692) To: SR 39 EAST	0.26	190	R	1997
From: 08-687				
(693) To: Dead End	1.19	70	R	1997
From: Dead End				
(694) To: Highland County Line	2.45	60	R	09/14/2000
Highland County				
From: Highland County Line				
(694) To: 08-607	0.10	60	N	09/14/2000
Bath County				
From: Dead End				
(696) To: 08-611	0.31	150	R	1997
From: 08-696				
(697) To: 08-611	0.15	80	R	03/23/2000
From: 08-633				
(698) To: 08-635	0.12	170	R	03/02/2000
From: 08-700				
(699) To: US 220	0.12	200	R	1997
From: Dead End				
(700) To: 08-699	0.18	120	R	03/16/2000
From: Dead End				
(701) To: 08-679	0.09	50	R	1997
From: 08-687				
(702) To: Dead End	0.09	100	R	03/16/2000
From: Alleghany County Line				
(703) To: Dead End	4.96	30	R	1997
From: Dead End				
(704) To: 0.12 MN Dead End	0.12	20	R	03/02/2000
From: 0.08				
(704) To: 08-637	0.08	20	R	03/02/2000
From: 08-600				
(705) To: Dead End	0.30	110	R	1997

Route	Length	AADT	QA	Year
Bath County				
From: Dead End				
(706) To: 08-696	0.17	NA		
From: 08-637				
(707) To: 08-633	0.04	NA		
From: Cul-de-Sac				
(708) To: 08-611	0.10	NA		
From: 08-635				
(710) To: Dead End	0.35	120	R	03/02/2000
From: Dead End/				
(711) To: 08-00633(B)/	0.30	NA		
From: US 220				
(714) To: Dead End	0.20	120	R	03/16/2000
From: Dead End				
(724) To: 08-684	0.10	NA		
From: Dead End				
(1001) To: DOUTHAT STATE PARK	3.77	100	R	1997
From: 08-682				
(9584) To: NEW VALLEY HIGH SCH	0.17	470	R	03/16/2000
From: SR 220				
(9930) To: VALLEY ELEM SCH	0.20	570	R	1997