



PROJECT MANAGER: Brian R. Zobell, P.E. (434) 856-8254 Lynchburg District
 SURVEYED BY: Michael E. McConkie, L.S. (434) 856-8266 Lynchburg District
 DESIGN SUPERVISED BY: Brian J. Casto, P.E. (434) 856-8276 Lynchburg District
 DESIGNED BY: Brian R. Zobell, P.E. (434) 856-8254 Lynchburg District

TYPICAL SECTIONS






- (A) IN LOCATIONS WHERE GUARDRAIL IS REQUIRED PROVIDE 4' FROM EDGE OF TRAVEL WAY TO FACE OF GUARDRAIL.
- (B) MAINTAIN GRADE OF SHOULDER TO DAYLIGHT AT STA. 9+40.00 RT. TO STA. 11+50.00 RT.
- (C) 4% SLOPE REQ'D AT STA. 39+25.00 LT. TO STA. 39+75.00 LT.



- 1 ASPHALT CONCRETE TYPE SM-9.5D @ 180 LBS PER SQ.YD.
- 2 ASPHALT CONCRETE TYPE IM-19.0D @ 220 LBS PER SQ.YD.
- 3 6" ASPHALT CONCRETE TYPE BM-25.0A @ 678 LBS PER SQ.YD.
- 4 6" AGGREGATE BASE MATERIAL TY-1 NO. 21B @ 148 LBS PER CU.FT. PLUS 6% OPTIMUM MOISTURE

REVISED	STATE	STATE PROJECT		SHEET NO.
		ROUTE	PROJECT	
	VA.	20	0020-014-713, P101, R201, C501	2A
DESIGN FEATURES RELATING TO CONSTRUCTION OR TO REGULATION AND CONTROL OF TRAFFIC MAY BE SUBJECT TO CHANGE AS DEEMED NECESSARY BY THE DEPARTMENT				
VDOT (Division) or Co. Name (Location), Virginia (TECHNICAL DISCIPLINE)		VDOT (Division) or Co. Name (Location), Virginia (TECHNICAL DISCIPLINE)		

PRIVATE AND COMMERCIAL ENTRANCES



NOT TO SCALE



The type of entrance (I, II, III, IV) to be constructed will be determined by the existing condition at the time of construction.

PUBLIC HEARING PLANS

PRELIMINARY EASEMENT FOR UTILITY RELOCATIONS ARE APPROXIMATE ONLY AND SUBJECT TO CHANGE AS PROJECT DESIGN IS FINALIZED.

THESE PLANS ARE UNFINISHED AND UNAPPROVED AND ARE NOT TO BE USED FOR ANY TYPE OF CONSTRUCTION OR THE ACQUISITION OF RIGHT OF WAY.